



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,734	08/21/2003	Ronald Buford Sheppard	71179/US04	9154
7590 04/21/2004			EXAMINER	
Steven A. Owen			OH, TAYLOR V	
Eastman Chemi	ical Company			
P.O. Box 511			ART UNIT	PAPER NUMBER
Kingsport, TN	37662-5075		1625	
			DATE MAIL ED: 04/21/2004	4

DATE MAILED: 04/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application N	o. Applicant	i(s)			
	10/645,734	SHEPPAF	RD ET AL.			
Office Action Summary	Examiner	Art Unit				
	Taylor Victor (					
The MAILING DATE of this comm			ence address			
Period for Reply	. FOR REDLY (0.0FT TO F	(DIDE - 1401) - 1001	•			
A SHORTENED STATUTORY PERIOD THE MAILING DATE OF THIS COMMU  - Extensions of time may be available under the provising after SIX (6) MONTHS from the mailing date of this conclusion of the period for reply specified above is less than thirty of the period for reply is specified above, the maximum failure to reply within the set or extended period for reany reply received by the Office later than three month earned patent term adjustment. See 37 CFR 1.704(b)	JNICATION. ons of 37 CFR 1.136(a). In no event, hommunication. y (30) days, a reply within the statutory real natutory period will apply and will expiously will, by statute, cause the application hs after the mailing date of this communication.	owever, may a reply be timely filed  minimum of thirty (30) days will be consid  re SIX (6) MONTHS from the mailing dat  n to become ABANDONED (35 U.S.C.8)	e of this communication.			
Status						
1) Responsive to communication(s)	filed on 09 January 2004.					
2a) This action is <b>FINAL</b> .	2b)⊠ This action is non-fi	nal.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the m						
closed in accordance with the pra-	ctice under <i>Ex parte Quayle</i>	, 1935 C.D. 11, 453 O.G. 21	3.			
Disposition of Claims						
4)⊠ Claim(s) <u>1-26</u> is/are pending in the	e application.	•				
4a) Of the above claim(s) is	• •	eration.				
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-26</u> is/are rejected.						
7) Claim(s) is/are objected to.	,					
8) Claim(s) are subject to rest	riction and/or election requir	ement.				
Application Papers		\$- <sub>4</sub>				
9)☐ The specification is objected to by	the Examiner.					
10) The drawing(s) filed on is/ar		biected to by the Examiner				
Applicant may not request that any ob			85(a).			
Replacement drawing sheet(s) includi			• •			
11)☐ The oath or declaration is objected						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a clair	m for foreign priority under 3	5 U.S.C. § 119(a)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
<ol> <li>Certified copies of the priori</li> </ol>	_					
<ol><li>Certified copies of the priori</li></ol>	ty documents have been red	eived in Application No				
<ol><li>Copies of the certified copie</li></ol>	s of the priority documents I	nave been received in this N	ational Stage			
application from the Internat						
* See the attached detailed Office act	tion for a list of the certified of	copies not received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) [	Interview Summary (PTO-413)				
<ul> <li>2)  Notice of Draftsperson's Patent Drawing Review</li> <li>3)  Information Disclosure Statement(s) (PTO-1449</li> </ul>	(PTO-948)	Paper No(s)/Mail Date	ion (DTO 450)			
Paper No(s)/Mail Date <u>1/9/04</u> .		Notice of Informal Patent Applicat Other:	юп (РТО-152)			

Art Unit: 1625

The Status of Claims

Claims 1-26 are pending.

Claims 1-26 have been rejected.

### **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-26 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1,3-9, 11-14, 16-24, 26-27, 29-31 of copending Application No. 10/645,737. Although the conflicting claims are not identical, they are not patentably distinct from each other because their corresponding claims are very similar to each other except the steps (b) and (c) in claims 1 and 11 and the steps (e) and (f) in claims 15-16 and 23 with respect to cooling the purified carboxylic acid and filtering and drying the purified carboxylic acid. This is

Art Unit: 1625

directly related to the optimization process. This does not impart patentability to a process because it would have been obvious to the skilled artisan in the art to have motivated to add the extra steps, such as , cooling the purified carboxylic acid and filtering and drying the purified carboxylic acid in order to obtain the desired product with the specific range of impure contents.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

#### Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 18, 23 and 25 are rejected under 35 U.S.C. 112, first paragraph, according to the specification, while being enabling for a catalyst, such as cobalt, manganese, bromine compounds, does not reasonably provide enablement for all the oxidation catalyst components in the field of chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly

Art Unit: 1625

connected, to all the catalysts unrelated to the current invention commensurate in scope with these claims.

Furthermore, the instant specification fails to provide information that would allow the skilled artisan to practice the instant invention without <u>undue experimentation</u>.

Attention is directed to *In re Wands*, 8 USPQ2d 1400 (CAFC 1988) at 1404 where the court set forth the eight factors to consider when assessing if a disclosure would have required undue experimentation, citing *Ex Parte Forman*, 230 USPQ 546 (BdApls 1986) at 547 the court recited eight factors:

- 1) the quantity of experimentation necessary,
- 2) the amount of direction or guidance provided.
- 3) the presence or absence of working examples,
- 4) the nature of the invention,
- 5) the state of the prior art,
- 6) the relative skill of those in the art.
- 7) the predictability of the art, and
- 8) the breath of the claims.

In the instant case, the claim encompasses <u>various</u> <u>catalysts</u>. However, applicants' specification provide only one Co, Mn, Br catalyst system in two examples.

Furthermore, the catalyst compositions represent an unpredictable aspect in the art of organic chemistry. See Exparte Sizto, 9 USPQ2d 2081 (Bd. Of App. And Inter. March

Art Unit: 1625

1988). Thus, the specification herein have failed to provide sufficient working examples to support the use of various <u>catalysts</u>. Therefore, an appropriate correction is required.

Claims 1, 9, 11, 13, 15, 16, 18, 20, and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Terms "a crystallized product", "a staged oxidation product", and" impurities" have used in the claims. They are vague and indefinite as they do not describe what they are made up of. An appropriate correction is required.

### Claim Rejections-35 USC 102

## 2113 [R-1] Product-by-Process Claims

PRODUCT-BY-PROCESS CLAIMS ARE NOT LIMITED TO THE MANIPULATIONS OF THE RECITED STEPS, ONLY THE STRUCTURE IMPLIED BY THE STEPS

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a productors not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted) (Claim was directed to a novolac color developer. The process of making the developer was allowed. The difference between the inventive process and the prior art was the additic of metal oxide and carboxylic acid as separate ingredients instead of adding the more expensive pre-reacted metal carboxylate. The product-by-process claim was rejected because the end product, in both the prior art and the allowed process, ends up containing metal carboxylate. The fact that the metal carboxylate is not directly added,

Art Unit: 1625

but is instead produced in-situ does not change the end product.).

>The structure implied by the process steps should be considered when assessing the patentability of product-by-process claims over the prior art, especially where the product can only be defined by the process steps by which the product is made, or where the manufacturing process steps would be expected to impart distinctive structura characteristics to the final product. See, e.g., *In re Garnero*, 412 F.2d 276, 279, 162 USPQ 221, 223 (CCPA 1979) (holding "interbonded by interfusion" to limit structure of the claimed composite and noting that terms such as "welded," "intermixed," "ground in place," "press fitted," and "etched" are capable of construction as structural limitations.)<

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 22 is rejected under 35 U.S.C. 102(b) as being anticipated clearly by Scott et al (U.S. 4,158,738).

Scott et al teaches a process of producing terephthalic acid by oxidation of para xylene and its purified terephthalic acid (see col. 1, lines 8-10). This is identical with the claim.

Art Unit: 1625

### Claim Rejections - 35 USC § 103

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al (U.S. 4,158,738) in view of Zeitlin et al (U.S. 5,095,146).

Art Unit: 1625

Scott et al teaches a process of producing terephthalic acid by oxidation of para xylene in the following steps of :

- a. feeding a mixture of p-xylene, a lower monocarboxylic acid solvent, and water in the presence of cobalt and manganese, and bromine into an oxidation reactor at 210° C (see col . 2 ,lines 42-56) in the presence of oxygen;
- b. removing the product as a slurry from the oxidizer;
- c. feeding the slurry of the terephthalic acid mixture to two additional crystallizers where the product is cooled to 105 <sup>0</sup> C;
- d. purifying the slurry of the terephthalic acid by filter (see col. 8 ,line 56), centrifuges and dryers (see col. 3 ,lines 39-62).

Furthermore, as a result of the process, the TPA "b" is in the range of from 0.9 to 2.0 (see col. 15, table III).

Scott et al, however, differs from the instant invention in that the type of the centrifuge and the pressure and the temperature, at which the centrifuge are operated, are unspecified; the process is continuous.

Zeitlin et al teaches a process of obtaining terephthalic acid with impurities of 150 ppm p-toluic acid content (see col. 8, lines 5-14) by crystallization using flash evaporation of solvent in 3 to 6 stirred crystallization zones (see col. 4, lines 29-36). Furthermore, the slurry produced in each stirred zone is charged continuously to the centrifuge and in all operations, the centrifuge and the last stirred zone are at the

Art Unit: 1625

temperature of 149° C and pressure of 67 psig. (see col. 6, lines 51-59). In addition, the reference indicates that small quantities of water added to one or more crystallizers can have a significant effect on the reduction of impurities in the crude terephthalic acid (see col. 3, lines 36-38).

With respect to the types of the centrifuge, the references are silent. However, this is directly related to the mechanical expediencies. Therefore, it would have been obvious to the skilled artisan in the art to have motivated to optimize the reaction process by upgrading the centrifuge with the specific types. This is because the skilled artisan in the art would expect the reaction process to be facilitated by employing such centrifuges.

Scott et al does teach the process of producing terephthalic acid by oxidation of para xylene in the reactor in the presence of acetic acid solvent containing cobalt and manganese, and bromine and further purifying the resultant slurry of the terephthalic acid by a filtration or centrifuge, and a drying process. Also, Zeitlin et al does teach the process of obtaining terephthalic acid with impurities of 150 ppm p-toluic acid content by crystallization using flash evaporation of solvent; also, it indicates that small quantities of water added to one or more crystallizers can have a significant effect on the reduction of impurities in the crude terephthalic acid (see col. 3, lines 36-38).

Both processes have commonly involved in the purification of terephthalic acid by crystallization. Scott et al expressly describes the use of the centrifuge in the process of

Art Unit: 1625

isolating terephthalic acid, whereas Zeitlin et al has focused the operations of the centrifuges and each stirred zone with the addition of water in the recovery of the terephthalic acid; furthermore, in doing so, there is a significant effect on the reduction of impurities in the crude terephthalic acid (see col. 3 ,lines 36-38).

Therefore, it would have been obvious to the skilled artisan in the art to have motivated to incorporate the teaching of Zeitlin's et al adding water to the crystallizer into the Scott et al process for the purpose of obtaining the purified terephthalic acid acceptable for the manufacture of fibers.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Streich et al (U.S. 5,175,355) discloses a preparation of purified terephthalic acid containing 200 ppmw or less of p-toluic acid by using pressure filtration to recover the pure terephthalic acid from an aqueous slurry containing the crystallized TA and p-toluic acid.

Janulis (U.S. 5,110,984) discloses a purification method for isophthalic acid in the following steps: (a) dissolving crude isophthalic acid in a feed solution containing a polar solvent at a temperature of from 100° C to 300° C., (b) crystallizing the isophthalic acid by cooling, (c) separating the isophthalic acid and drying it, (d) recycling the remain liquid portion after the separation of the isophthalic acid crystals.

Art Unit: 1625

Puskas et al (U.S. 4,467,111) discloses a process for producing a purified terephthalic acid by reacting a mixture of hydrogen and crude terephthalic acid in the presence of a palladium metal catalyst on a porous carbonaceous support at a temperature of from 100° C. To 300° C.

Meyer (U.S. 3,584,039) discloses a process of producing fiber-grade terephthalic acid from a crude terephthalic acid containing 4-carboxybenzaldehyde which was obtained by the catalytic liquid phase oxidation of p-xylene with molecular oxygen.

Nienburg et al (U.S. 3,799,976) discloses a process for purifying terephthalic acid by a reductive treatment an aqueous solution containing a crude terephthalic acid and formic acid in the presence of a noble metal catalyst such as osmium, iridium, and ruthenium at an elevated temperature of 230° C..

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Taylor Victor Oh whose telephone number is 571-272-0689. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Mckane can be reached on 571-272-0699. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1625

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

My 4/13/54

BA K. TRINH PRIMARY EXAMINER GROUP 1200 / /

\*\*